

| L Number | Hits | Search Text | DB | Time stamp |
|----------|-------|---|---|------------------|
| - | 12544 | ((error of fail\$3 or fault) with (alert\$3 or message)) and ((identif\$4 or id or trac\$4) with (error or fail\$3 or fault)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 11:02 |
| - | 9232 | ((((error of fail\$3 or fault) with (alert\$3 or message)) and ((identif\$4 or id or trac\$4) with (error or fail\$3 or fault))) and (threshold or maximum or limit)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 11:02 |
| - | 591 | "14" and (job or ticket) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 11:03 |
| - | 1820 | ((((error of fail\$3 or fault) with (alert\$3 or message)) and ((identif\$4 or id or trac\$4) with (error or fail\$3 or fault))) and (threshold or maximum or limit)) and (job or ticket) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 11:03 |
| - | 1599 | (((((error of fail\$3 or fault) with (alert\$3 or message)) and ((identif\$4 or id or trac\$4) with (error or fail\$3 or fault))) and (threshold or maximum or limit)) and (job or ticket)) and network | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 11:03 |
| - | 1472 | ((((((error of fail\$3 or fault) with (alert\$3 or message)) and ((identif\$4 or id or trac\$4) with (error or fail\$3 or fault))) and (threshold or maximum or limit)) and (job or ticket)) and network) and automatic\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 11:05 |
| - | 1428 | ((((((error of fail\$3 or fault) with (alert\$3 or message)) and ((identif\$4 or id or trac\$4) with (error or fail\$3 or fault))) and (threshold or maximum or limit)) and (job or ticket)) and network) and automatic\$4 and locat\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 11:06 |
| - | 1426 | ((((((error of fail\$3 or fault) with (alert\$3 or message)) and ((identif\$4 or id or trac\$4) with (error or fail\$3 or fault))) and (threshold or maximum or limit)) and (job or ticket)) and network) and automatic\$4 and locat\$3 and (computer or server or device) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 11:07 |
| - | 712 | ((((((((error of fail\$3 or fault) with (alert\$3 or message)) and ((identif\$4 or id or trac\$4) with (error or fail\$3 or fault))) and (threshold or maximum or limit)) and (job or ticket)) and network) and automatic\$4 and locat\$3) and (computer or server or device)) and domain | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 11:07 |
| - | 383 | ((((((((error of fail\$3 or fault) with (alert\$3 or message)) and ((identif\$4 or id or trac\$4) with (error or fail\$3 or fault))) and (threshold or maximum or limit)) and (job or ticket)) and network) and automatic\$4 and locat\$3) and (computer or server or device)) and domain) and @ad<20010208 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/12 09:00 |
| - | 29 | ((709/223) or (709/224)).CCLS.) and (error or fail\$3 or fault) with (alert or message) with (job or ticket) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 15:34 |
| - | 15 | ((((709/223) or (709/224)).CCLS.) and (error or fail\$3 or fault) with (alert or message) with (job or ticket)) and @ad<20010208 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/12 14:36 |

| | | | | |
|--|-----|---|---|------------------|
| | 151 | ((709/223) or (709/224)).CCLS.) and (error or fail\$3 or fault) with (alert or message) same (threshold or limit or maximum) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 14:20 |
| | 90 | ((((709/223) or (709/224)).CCLS.) and (error or fail\$3 or fault) with (alert or message) same (threshold or limit or maximum)) and @ad<20010208 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 14:20 |
| | 7 | ((709/223) or (709/224)).CCLS.) and (error or fail\$3 or fault) with (alert or message) same (threshold or limit or maximum) same automatic\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 14:37 |
| | 4 | ((((709/223) or (709/224)).CCLS.) and (error or fail\$3 or fault) with (alert or message) same (threshold or limit or maximum) same automatic\$4) and @ad<20010208 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 14:36 |
| | 350 | ((709/223) or (709/224)).CCLS.) and (error or fail\$3 or fault) with distribut\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 14:43 |
| | 2 | ((((709/223) or (709/224)).CCLS.) and (error or fail\$3 or fault) with distribut\$3) and ((threshold or limit) with ticket) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 14:36 |
| | 0 | (((((709/223) or (709/224)).CCLS.) and (error or fail\$3 or fault) with distribut\$3) and ((threshold or limit) with ticket)) and @ad<20010208 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 14:37 |
| | 670 | ((threshold or limit) with ticket) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 14:36 |
| | 39 | ((threshold or limit) with ticket)) same (error or fail\$3 or fault) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 14:37 |
| | 19 | ((((threshold or limit) with ticket)) same (error or fail\$3 or fault)) and @ad<20010208 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 14:43 |
| | 163 | ((((709/223) or (709/224)).CCLS.) and (error or fail\$3 or fault) with distribut\$3) and (error or fail\$3 or fault) with (track\$3 or monitor\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 15:57 |
| | 80 | (((((709/223) or (709/224)).CCLS.) and (error or fail\$3 or fault) with distribut\$3) and (error or fail\$3 or fault) with (track\$3 or monitor\$3)) and @ad<20010208 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 15:26 |
| | 36 | ((709/223) or (709/224)).CCLS.) and (error or fail\$3 or fault) with (updat\$3) with (track\$3 or monitor\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 15:49 |
| | 17 | ((((709/223) or (709/224)).CCLS.) and (error or fail\$3 or fault) with (updat\$3) with (track\$3 or monitor\$3)) and @ad<20010208 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 15:35 |

| | | | | |
|--|-------|---|---|------------------|
| | 18 | ((709/223) or (709/224)).CCLS.) and (distribution near2 fail\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 15:35 |
| | 9 | ((((709/223) or (709/224)).CCLS.) and (distribution near2 fail\$3)) and @ad<20010208 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 15:50 |
| | 1492 | (error or fail\$3 or fault) with (updat\$3) with (track\$3 or monitor\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 15:52 |
| | 92 | ((error or fail\$3 or fault) with (updat\$3) with (track\$3 or monitor\$3)) same compar\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 15:53 |
| | 64 | ((error or fail\$3 or fault) with (updat\$3) with (track\$3 or monitor\$3)) same compar\$3) and @ad<20010208 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 15:53 |
| | 744 | (error or fail\$3 or fault) with updat\$3 with track\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 15:53 |
| | 57 | ((error or fail\$3 or fault) with updat\$3 with track\$3) same compar\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 15:53 |
| | 38 | ((error or fail\$3 or fault) with updat\$3 with track\$3) same compar\$3) and @ad<20010208 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 15:57 |
| | 177 | ((709/223) or (709/224)).CCLS.) and (error or fail\$3 or fault) with track\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 15:57 |
| | 94 | ((((709/223) or (709/224)).CCLS.) and (error or fail\$3 or fault) with track\$3) and @ad<20010208 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 15:57 |
| | 54591 | (error of fail\$3 or fault) with (alert\$3 or message) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/12 08:59 |
| | 5 | ((error of fail\$3 or fault) with (alert\$3 or message)) same ((threshold or maximum or limit) with ticket) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/12 09:11 |
| | 1 | ((error of fail\$3 or fault) with (alert\$3 or message)) same ((threshold or maximum or limit) with ticket)) and @ad<20010208 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/12 09:02 |
| | 35 | ((error of fail\$3 or fault) with (alert\$3 or message)) same ((threshold or maximum or limit) with administrator) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/12 09:02 |

| | | | | |
|--|------|--|---|------------------|
| | 14 | ((error of fail\$3 or fault) with (alert\$3 or message)) same ((threshold or maximum or limit) with administrator)) and @ad<20010208 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/12 09:14 |
| | 2593 | ((threshold or maximum or limit) with (ticket or administrator)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/12 09:12 |
| | 254 | ((threshold or maximum or limit) with (ticket or administrator)) same (error or fail\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/12 09:13 |
| | 237 | ((((threshold or maximum or limit) with (ticket or administrator)) same (error or fail\$3)) and network | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/12 09:13 |
| | 106 | (((((threshold or maximum or limit) with (ticket or administrator)) same (error or fail\$3)) and network) and @ad<20010208 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/12 09:20 |
| | 118 | ((((threshold or maximum or limit) with (ticket or administrator)) same (error or fail\$3)) and @ad<20010208 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/12 09:20 |
| | 5010 | ((709/223) or (709/224)).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/12 14:33 |
| | 38 | ((709/223) or (709/224)).CCLS.) and ((error of fail\$3) with (distribut\$3 or download\$3) same (email or connectionless or status or notification)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/12 14:36 |
| | 21 | ((((709/223) or (709/224)).CCLS.) and ((error of fail\$3) with (distribut\$3 or download\$3) same (email or connectionless or status or notification))) and @ad<20010208 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/12 14:36 |